


2-size Contemporary bond pattern (w/ 1/2" joint)



1. Maintain minimum 4" between vertical joints.
2. Since two 3" do not equal a 5", break horizontal joints by crossing two 3" and two 5" pcs.
3. In this way the 3" and 5" will always form a staggered bonding line.
4. Aim for a minimum of 12" horizontal bed joints and, depending on desired look, can be upwards of 96".
5. Maximum vertical joint should be 8.5" (no more than a 3" pc and 5" pc stacked including mortar joint).
6. Approximate ratio of sizes (by square footage) is 40% 3" and 60% 5".

